



Product description

Entrance controller in switch panel housing for code lock module COM 611-... or electronic key reading module ELM 6xx-...

Display-supported programming of integrated buttons, or by means of PC software via additional programming interface PRI 602-... Electronic evaluating circuit with 2 switching outputs, extendable to 8 with ECE 602-..., 2 control inputs for time-controlled access rights.

Specifications

Operating voltage:	12 V AC
Operating current:	150 mA
Contact type:	2 changeover switches 24 V, 2 A
Ambient temperature:	0 °C to +40 °C
Protection system:	IP 20
Horizontal pitch (HP):	6
Dimensions (mm) W x H x D:	107 x 89 x 60

Article information

Article designation	Article description	Colour/Material	KG SAP article no.
EC 602-03 DE	Entrance controller	Black	B 200036355-00
EC 602-03 EN/DK	Entrance controller	Black	B 200036357-00
EC 602-03 FR/IT/NL	Entrance controller	Black	B 200036356-00



Accessories

Article designation	Article description	Colour/Material	KGSAP article no.
ECE 602-0	Entrance controller extension	Black	B 200015970-00
ZRCE 602-0	Ribbon cable	Others	B 200017875-00

Entrance controller
EC 602-03 DE

Page 3





EC 602-03 Entrance controller	Product information	344 kB	Download
	Programming instructions	440 kB	Download
EC 602-... Entrance controller	Declaration of Conformity	891 kB	Download
EC 602-03 Entrance controller	Programming template	403 kB	Download
	Additional information	109 kB	Download
	System manual	5,9 MB	Download